



BITUMINOUS FELT 3 LAYERS
 BAERTRAL MEMBRANE / VAPOUR CONTROL
 COUNTER BATTENS FOR CROSS VENTILATION
 18/20mm PLYWOOD DECKING
 FIRING PIECES @ 1:40 FALL (1:20)
 50 X 50 COUNTER BATTENS

PART B
 18 EXTERNAL PLASTER
 75mm PLASTER BEAD STOP
 LEAD FLASHING
 VENT UNIT
 TILTING FILLET

200 X 40 CEILING JOISTS
 200 QUILT FIBRE INSULATION
 GALVANISED JOIST HANGER

325 FASCIA
 150 SOFFIT
 STRIP SOFFIT VENT
 18 EXTERNAL RENDAL

INSULATED PLASTER BOARD AIR TIGHTNESS TAPE
 100 X 75 WALLPLATE FIXED WITH 5mm GALVANISED STRAPS
 AERATED CONCRETE BLOCKS
 GRAPHITE WALL TIE
 STEPPED D.P.C
 100 X 45 CONCRETE LINTEL
 CAVITY CLOSER
 TRIPLE GLAZED UNIT 100 X 75
 200mm FULL FILL CAVITY INSULATION
 THERMALLY BROKEN WINDOW FRAME
 100mm BLOCK INNER LEAF

Q1. HIGHER LEVEL 2016